

# 2014 | RESIDENTIAL PRODUCTS CATALOG



*mansfield.*




Brentwood Two-Piece Toilet,  
see page 8.

## STYLE. SELECTION. VALUE.

Easy to install, and built to last a lifetime, Mansfield plumbing products offer you hundreds of affordable, flexible solutions for your bath projects.

This handy guide includes everything you need to make the best choices every time. A clear, detailed look at our full selection of affordable suites, toilets and lavatories. All beautifully designed and crafted for lasting value and performance. Available in a wide range of sizes, styles and colors to fit any design and budget while satisfying the most discriminating clients.



Barrett Self-Rimming  
Lavatory, see page 29.

Made in USA



Dedicated to the spirit of the American worker, Mansfield features a full range of quality products proudly Made in the USA. Just look for this symbol.

# TABLE OF CONTENTS



<b>TOILETS</b>	<b>4</b>
<b>Gravity</b>	
One-Piece	5
Two-Piece—Designer (HET)	6-7
Two-Piece—Designer	8
Two-Piece (HET)	9-14
Alto 1.28 Tank Options	11
Two-Piece	15-19
Alto 1.6 Tank Options	17
<b>Pressure-Assist</b>	
One-Piece (HET)	19
Two-Piece (HET)	20-21
Two-Piece	22-23
<b>Toilet Seats</b>	24
<b>Trip Lever Cross Reference</b>	25
<b>BIDET</b>	<b>24</b>

<b>LAVATORIES</b>	<b>26</b>
Self-Rimming	27-29
Under-Counter	30-31
Above-Counter	31-32
Pedestal	33-35

<b>VANITY</b>	<b>36</b>
---------------	-----------

<b>VANITY TOPS</b>	<b>36</b>
--------------------	-----------

<b>SUITES</b>	<b>37</b>
<b>Traditional</b>	
Barrett	38
Brentwood	39
Montclair	40
Waverly	41
<b>Transitional</b>	
Essence	42
Reo	43
<b>Contemporary</b>	
Enso	44
<b>Color Options</b>	<b>45</b>
<b>Warranty</b>	<b>45</b>
<b>Index</b>	<b>46-47</b>

**THE TOILET.** A bathroom standard made extraordinary by Mansfield. Featuring powerful flushing technologies, including our Pressure-assist, MagnaFlush™ and SmartFlush™ options. All designed to save water and satisfy today's environmentally conscientious consumer.

For an even greener choice, our Dual Flush feature provides the option to use less water when removing liquids, or more water when disposing solids. Choose this money-saving feature with a lever handle, as shown on the EcoQuantum on page 17, or enjoy a push button actuator, as seen on the Enso on page 6, and Summit Dual Flush on page 12.

No matter what your choice, you can count on Mansfield for a wide selection of toilet designs and state-of-the-art features, all built for superior performance and style.

**PERFORMANCE.** When you create an essential product people take for granted, performance is your top priority. That's why we demand more from our toilets, putting every one through our own rigorous flush performance testing - exceeding government standards. From our Summit design, with the most powerful gravity flush available, to our ultra-water-conservative, dual-flush EcoQuantum model. It's all part of our Total Quality Control. A dedication to excellence that promises your customers an extraordinary toilet they can take for granted day after day.

Waverly Two-Piece Toilet,  
see page 7.





This symbol indicates that this product is available as a kit. Kits include the following items:

- Toilet bowl and tank
- Toilet seat
- Flange bolts
- Wax ring with polyethylene flange
- Instructions

Some kits are available with lined tanks (LT).


# GRAVITY | ONE-PIECE


	<p><b>AEGEAN (705NS)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 7-1/4" x 10-3/4"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 600 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Includes SmartClose toilet seat.</p>	<p><b>12" ROUGH-IN*</b></p> 
---	--	--


 <p><b>HET</b> SmartHeight</p>	<p><b>AEGEAN (708)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 16-5/8" </p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 6-3/4" x 4-3/4"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 600 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Includes SmartClose toilet seat.</p>	<p><b>12" ROUGH-IN*</b></p> 
--	--	---

\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A112.19.2 - 2008/CSA B45.1-08 Standards.

# GRAVITY | TWO-PIECE | DESIGNER (HET)


 <p>  Coposited Trapway   WATER SENSE   HIGH EFFICIENCY TOILET   SmartHeight         </p>	<p><b>BARRETT (HET) (4115-3106)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 16-1/4" </p> <p><b>Trap Size:</b> 2-1/8"</p> <p><b>Water Surface:</b> 8-1/4" x 10-3/8"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>12" ROUGH-IN*</b></p> 
--	---	---



 <p>  Coposited Trapway   WATER SENSE   HIGH EFFICIENCY TOILET   SmartHeight         </p>	<p><b>ENSO (177-178)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.1 or 1.6</p> <p><b>Flush System:</b> Dual Flush/3" Flush Valve</p> <p><b>Bowl Height:</b> 16-7/8"</p> <p><b>Trap Size:</b> 2-1/8"</p> <p><b>Water Surface:</b> 10" x 6-7/8"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White and Biscuit</p> <p>Includes SmartClose toilet seat.</p>	<p><b>12" ROUGH-IN*</b></p> 
---	---	--

 <p>  Coposited Trapway   WATER SENSE   HIGH EFFICIENCY TOILET   SmartHeight         </p>	<p><b>ESSENCE II (HET) (4184-3185)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 16-11/16" </p> <p><b>Trap Size:</b> 2-1/8"</p> <p><b>Water Surface:</b> 7-1/2" x 9-1/2"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>12" ROUGH-IN*</b></p> 
--	---	---


\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A112.19.2 - 2008/CSA B45.1-08 Standards.


# GRAVITY | TWO-PIECE | DESIGNER (HET)


 <p>           </p>	<p><b>MONTCLAIR (HET) (4107-3108)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 16-9/16" </p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 7-3/4" x 10"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>12" ROUGH-IN*</b></p> 
--	---	--

 <p>           </p>	<p><b>WAVERLY (HET) (4197-3195) (4197CTK)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 16-3/4" </p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 6-3/4" x 9-5/8"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>12" ROUGH-IN*</b></p> 
---	---	---

# GRAVITY | TWO-PIECE | DESIGNER


 <p><b>SmartHeight</b> Concealed Trapway</p>	<p><b>BARRETT</b> (115-106)</p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 16-1/4" </p> <p><b>Trap Size:</b> 2-1/8"</p> <p><b>Water Surface:</b> 8-1/4" x 10-3/8"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>12" ROUGH-IN*</b></p> 
---	--	---


 <p><b>SmartHeight</b> Concealed Trapway</p>	<p><b>BRENTWOOD®</b> (4147-3147)</p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 16-5/8" </p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 7-3/4" x 10"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>12" ROUGH-IN*</b></p> 
--	---	--


 <p><b>SmartHeight</b></p>	<p><b>REO</b> (186-188)</p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 16-1/2" </p> <p><b>Trap Size:</b> 2-1/2"</p> <p><b>Water Surface:</b> 10-1/2" x 8-1/4"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 600 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Includes SmartClose toilet seat.</p>	<p><b>12" ROUGH-IN*</b></p> 
---	--	---

\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A112.19.2 - 2008/CSA B45.1-08 Standards.


# GRAVITY | TWO-PIECE | HET


 <p>Made in USA</p> <p><b>HET</b> HIGH EFFICIENCY TOILET</p> <p><b>KIT</b></p>	<p><b>ALTO® 1.28</b> (4130-3121) (4130CTK) (4130LTCTK)</p> <p><b>Shape:</b> Round</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Hybrid Valve</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 8" x 9"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 600 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>12" ROUGH-IN*</b></p> 
---	---	--


 <p>Made in USA</p> <p><b>HET</b> HIGH EFFICIENCY TOILET</p> <p><b>KIT</b></p>	<p><b>ALTO® 1.28</b> (4131-3121)</p> <p><b>Shape:</b> Round</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Hybrid Valve</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 8" x 9"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 600 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>10" ROUGH-IN*</b></p> 
--	---	---

 <p>Made in USA</p> <p><b>HET</b> HIGH EFFICIENCY TOILET</p> <p><b>KIT</b></p>	<p><b>ALTO® 1.28</b> (4135-3121) (4135CTK) (4135LTCTK)</p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Hybrid Valve</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 9" x 10"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 600 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>12" ROUGH-IN*</b></p> 
---	--	--

# GRAVITY | TWO-PIECE | HET

 <p>Made in USA</p>    	<p><b>ALTO® 1.28</b> <b>(4137-3121)</b> <b>(4137CTK)</b> <b>(4137LTCTK)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Hybrid Valve</p> <p><b>Bowl Height:</b> 16-3/4" </p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 9" x 10"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 600 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>12" ROUGH-IN*</b></p> 
--	--	---

 <p>Made in USA</p>  	<p><b>ALTO® 1.28</b> <b>(4138-3121)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Hybrid Valve</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 9" x 10"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 600 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>10" ROUGH-IN*</b></p> 
---	---	--

 <p>Made in USA</p>   	<p><b>ALTO® 1.28</b> <b>(4139-3121)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Hybrid Valve</p> <p><b>Bowl Height:</b> 16-1/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 9" x 10"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 600 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>10" ROUGH-IN*</b></p> 
--	---	---

\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A112.19.2 - 2008/CSA B45.1-08 Standards.


# GRAVITY | TWO-PIECE | HET


Made in USA

## ALTO® 1.28 TANKS


Made in USA


<p><b>CHROME-PLATED METAL TRIP LEVER (3120)</b></p> <p>Chrome-plated plastic trip lever.</p>	<p><b>RIGHT HAND TANK WITH CHROME TRIP LEVER (3120RH)</b></p> <p>Chrome-plated plastic trip lever mounts on the right-hand side of tank to meet special installation specification or design preference.</p>	<p><b>RIGHT HAND TANK WITH COLOR-MATCH TRIP LEVER (3121RH)</b></p> <p>Color-match plastic trip lever mounts on the right-hand side of tank to meet special installation specification or design preference.</p>
<p><b>LINED TANK (3122)</b></p> <p>Insulating styrofoam inner tank liner reduces condensation on outside of tank from cold water in hot, humid climates.</p>	<p><b>14" ROUGH-IN COLOR-MATCH TRIP LEVER (3125)</b></p> <p>Includes toilet tank, cover and trim. Model 3125 can be paired with Models: 4130, 4135 and 4137.</p>	


 	<p><b>CASCADE® (4810-3816)</b></p> <p><b>Shape:</b> Round</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 15"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 6-1/2" x 9-1/4"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White</p> <p>Available Tank: 3816RH</p>	<p><b>12" ROUGH-IN*</b></p> 
--	---	---

 	<p><b>CASCADE® (4817-3816)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 16-9/16" </p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 7-1/4" x 10-1/2"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White</p> <p>Available Tank: 3816RH</p>	<p><b>12" ROUGH-IN*</b></p> 
---	---	--

# GRAVITY | TWO-PIECE | HET


 <p><b>MAVERICK 1.0</b> (1013-1012)</p> <p><b>12" ROUGH-IN*</b></p>	<p><b>Shape:</b> Round</p> <p><b>Gpf:</b> 1.0</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Trap Size:</b> 1-7/8"</p> <p><b>Water Surface:</b> 7-1/4" x 9"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 500 grams</p> <p><b>Colors:</b> White</p>	
--	---	---


 <p>Made in USA</p> <p><b>SUMMIT 1.28</b> (380-387) (4381CTK)</p> <p><b>12" ROUGH-IN*</b></p>	<p><b>Shape:</b> Round</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 8" x 9"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available Tanks: 387LT and 387RH</p>	
---	---	--


 <p>Made in USA</p> <p><b>SUMMIT 1.28</b> (382-387) (4383CTK)</p> <p><b>12" ROUGH-IN*</b></p>	<p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 9" x 10"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available Tanks: 387LT and 387RH</p>	
--	--	---

\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A112.19.2 - 2008/CSA B45.1-08 Standards.


# GRAVITY | TWO-PIECE | HET


 <p>Made in USA</p> <p>WATER SAVING HIGH EFFICIENCY TOILET <b>HET</b> SmartHeight</p> <p>KIT</p>	<p><b>SUMMIT 1.28</b> (384-387) (4385CTK)</p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 16-3/4" </p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 9" x 10"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available Tank: 387LT</p>	<p><b>12" ROUGH-IN*</b></p> 
---	---	--


 <p>Made in USA</p> <p>WATER SAVING HIGH EFFICIENCY TOILET <b>HET</b> SmartHeight</p> <p>KIT</p>	<p><b>SUMMIT 1.28</b> (388-387) (4388CTK)</p> <p><b>Shape:</b> Round</p> <p><b>Gpf:</b> 1.28</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 16-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 8" x 9"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available Tank: 387LT</p>	<p><b>12" ROUGH-IN*</b></p> 
--	--	---

 <p>Made in USA</p> <p>WATER SAVING HIGH EFFICIENCY TOILET <b>HET</b> SmartHeight</p> <p>KIT</p>	<p><b>SUMMIT DUAL FLUSH</b> (380-3386) (4380CTK)</p> <p><b>Shape:</b> Round</p> <p><b>Gpf:</b> 1.1 or 1.6</p> <p><b>Flush System:</b> Dual Flush/3" Flush Tower</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 8" x 9"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>12" ROUGH-IN*</b></p> 
---	---	--

# GRAVITY | TWO-PIECE | HET


	<p><b>SUMMIT DUAL FLUSH</b> (382-3386) (4382CTK)</p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.1 or 1.6</p> <p><b>Flush System:</b> Dual Flush/3" Flush Tower</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 9" x 10"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>12" ROUGH-IN*</b></p> 
---	--	---


	<p><b>SUMMIT DUAL FLUSH</b> (384-3386) (4384CTK)</p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.1 or 1.6</p> <p><b>Flush System:</b> Dual Flush/3" Flush Tower</p> <p><b>Bowl Height:</b> 16-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 9" x 10"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>12" ROUGH-IN*</b></p> 
--	--	--


	<p><b>SUMMIT DUAL FLUSH</b> (388-3386)</p> <p><b>Shape:</b> Round</p> <p><b>Gpf:</b> 1.1 or 1.6</p> <p><b>Flush System:</b> Dual Flush/3" Flush Tower</p> <p><b>Bowl Height:</b> 16-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 8" x 9"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 1000 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>12" ROUGH-IN*</b></p> 
---	--	---

\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A112.19.2 - 2008/CSA B45.1-08 Standards.

# GRAVITY | TWO-PIECE

 <p>Made in USA</p> <p>SmartHeight</p>	<p><b>ALTO®</b> (117-160)</p>	<p><b>12" ROUGH-IN*</b></p>
 <p>Made in USA</p>	<p><b>Shape:</b> Round</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> 2" Flush Tower</p> <p><b>Bowl Height:</b> 16-3/4" </p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 8" x 9"</p> <p><b>Fill Valve:</b> Ballcock</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	

 <p>Made in USA</p> <p>KIT</p>	<p><b>ALTO®</b> (130-160) (130CTK) (130LTCK)</p>	<p><b>12" ROUGH-IN*</b></p>
 <p>Made in USA</p>	<p><b>Shape:</b> Round</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> 2" Flush Tower</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 8" x 9"</p> <p><b>Fill Valve:</b> Ballcock</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	

 <p>Made in USA</p>	<p><b>ALTO®</b> (131-160)</p>	<p><b>10" ROUGH-IN*</b></p>
 <p>Made in USA</p>	<p><b>Shape:</b> Round</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> 2" Flush Tower</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 8" x 9"</p> <p><b>Fill Valve:</b> Ballcock</p> <p><b>MaP:</b> n/a</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	

# GRAVITY | TWO-PIECE


<p>Made in USA</p> <p><b>KIT</b></p>	<p><b>ALTO®</b> (135-160) (135CTK) (135LTCTK)</p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> 2" Flush Tower</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 9" x 10"</p> <p><b>Fill Valve:</b> Ballcock</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>12" ROUGH-IN*</b></p>
--------------------------------------	--	-----------------------------

<p>Made in USA</p> <p><b>SmartHeight</b></p> <p><b>KIT</b></p>	<p><b>ALTO®</b> (137-160) (137CTK) (137LTCTK)</p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> 2" Flush Tower</p> <p><b>Bowl Height:</b> 16-3/4" </p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 9" x 10"</p> <p><b>Fill Valve:</b> Ballcock</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>12" ROUGH-IN*</b></p>
--	---	-----------------------------

<p>Made in USA</p> <p><b>KIT</b></p>	<p><b>ALTO®</b> (138-160)</p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> 2" Flush Tower</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 9" x 10"</p> <p><b>Fill Valve:</b> Ballcock</p> <p><b>MaP:</b> n/a</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>10" ROUGH-IN*</b></p>
--------------------------------------	--	-----------------------------

\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A112.19.2 - 2008/CSA B45.1-08 Standards.

# GRAVITY | TWO-PIECE

 <p><b>SmartHeight</b></p>	<p><b>ALTO® (139NS-160)</b></p> <p><b>Shape:</b> Elongated  <b>Gpf:</b> 1.6  <b>Flush System:</b> 2" Flush Tower  <b>Bowl Height:</b> 16-1/4"   <b>Trap Size:</b> 2"  <b>Water Surface:</b> 9" x 10"  <b>Fill Valve:</b> Ballcock  <b>MaP:</b> n/a  <b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>10" ROUGH-IN*</b></p> 
---	--	---



## ALTO® 1.6 TANK OPTIONS



14" ROUGH-IN	COVER LOCK	PILOT FILL VALVE	COLOR-MATCH™ TRIP LEVER
<p>Traditional 14" rough-in includes toilet tank, cover and trim.</p> <p><b>Model #125 can be paired with model #s 117, 130, 135 and 137 toilet bowls.</b></p>	<p>A tamper resistant locking device located on tank lid discourages vandalism – ideal for commercial use.</p> <p><b>Model #s 165 and 175</b></p>	<p>Pilot operated fill valve provides consistent shut-off over a wide range of water pressures.</p> <p><b>Model #s 161, 171, 172, 172RH, 173, 173RH, 174 and 181</b></p>	<p>Offers versatility to match trip lever color with toilet color to fit any decor – Available on selected models in White, Biscuit, and Bone.</p>
<p><b>RIGHT HAND TRIP LEVER</b></p> <p>Trip lever mounts on the right hand side of toilet to meet special installation specification or design preference.</p> <p><b>Model #s 160RH, 172RH and 173RH</b></p>	<p><b>LINED TANK</b></p> <p>Insulating styrofoam inner tank liner reduces condensation on outside of tank from cold water in hot, humid climates.</p> <p><b>Model #s 170, 171, 174, 175 and 190</b></p>	<p><b>FLAPPER FLUSH VALVE</b></p> <p>Flush valve with 2" flapper provides non-corrosive, long-life dependability and water conservation efficiency.</p> <p><b>Model #s 172, 172RH, 173, 173RH and 174</b></p>	<p><b>Model #s 173, 173RH, 174, 180, 181 and 190</b></p>

# GRAVITY | TWO-PIECE


<p>Made in USA</p> <p>KIT</p>	<p><b>SUMMIT</b> (380-386) (380CTK)</p> <p><b>Shape:</b> Round</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 8" x 9"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 1000 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available Tanks: 386LT and 386RH</p>	<p><b>12" ROUGH-IN*</b></p>
-------------------------------	---	-----------------------------

<p>Made in USA</p> <p>KIT</p>	<p><b>SUMMIT</b> (382-386) (382CTK)</p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 9" x 10"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 1000 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available Tanks: 387LT and 387RH</p>	<p><b>12" ROUGH-IN*</b></p>
-------------------------------	--	-----------------------------

<p>Made in USA</p> <p>SmartHeight</p> <p>KIT</p>	<p><b>SUMMIT</b> (384-386) (384CTK)</p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 16-3/4" </p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 9" x 10"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 1000 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available Tanks: 387LT and 387RH</p>	<p><b>12" ROUGH-IN*</b></p>
--	---	-----------------------------

\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A112.19.2 - 2008/CSA B45.1-08 Standards.

# GRAVITY | TWO-PIECE


 <p>Made in USA</p>  <p>SmartHeight</p>	<p><b>SUMMIT 1.28</b> (388-386) (388CTK)</p> <p><b>Shape:</b> Round</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> 3" Flush Valve</p> <p><b>Bowl Height:</b> 16-3/4"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 8" x 9"</p> <p><b>Fill Valve:</b> Pilot Valve</p> <p><b>MaP:</b> 1000 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available Tanks: 386LT and 386RH</p>	<p><b>12" ROUGH-IN*</b></p> 
---	--	--

 This symbol indicates that this product is available as a kit. Kits include the following items:


- Toilet bowl and tank
- Toilet seat
- Flange bolts
- Wax ring with polyethylene flange
- Instructions


Some kits are available with lined tanks (LT).


# PRESSURE ASSIST | ONE-PIECE | HET

 	<p><b>PRESTIGIO 4</b> (704)</p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.1</p> <p><b>Flush System:</b> Pressure-assist</p> <p><b>Bowl Height:</b> 14-3/8"</p> <p><b>Trap Size:</b> 2"</p> <p><b>Water Surface:</b> 11-5/8" x 10-1/4"</p> <p><b>MaP:</b> 800 grams</p> <p><b>Colors:</b> White</p> <p>Includes SmartClose toilet seat.</p>	<p><b>12" ROUGH-IN*</b></p> 
---	--	--

# PRESSURE ASSIST | TWO-PIECE | HET


 <p>Made in USA</p>  <p>HIGH EFFICIENCY TOILET <b>HET</b></p>	<p><b>EcoQuantum® (146-119)</b></p> <p><b>Shape:</b> Round</p> <p><b>Gpf:</b> 1.1 or 1.6</p> <p><b>Flush System:</b> Dual Flush/Pressure Assist</p> <p><b>Bowl Height:</b> 14-1/2"</p> <p><b>Trap Size:</b> 2-1/8"</p> <p><b>Water Surface:</b> 10" x 12"</p> <p><b>MaP:</b> 1000 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available tanks: 119RH and 119CL</p>	<p><b>12" ROUGH-IN*</b></p> 
---	--	---


 <p>Made in USA</p>  <p>HIGH EFFICIENCY TOILET <b>HET</b></p>	<p><b>EcoQuantum® (147-119)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.1 or 1.6</p> <p><b>Flush System:</b> Dual Flush/Pressure Assist</p> <p><b>Bowl Height:</b> 14"</p> <p><b>Trap Size:</b> 2-1/8"</p> <p><b>Water Surface:</b> 10" x 12"</p> <p><b>MaP:</b> 1000 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available tanks: 119RH and 119CL</p>	<p><b>12" ROUGH-IN*</b></p> 
--	--	--


 <p>Made in USA</p>  <p>SmartHeight HIGH EFFICIENCY TOILET <b>HET</b></p>	<p><b>EcoQuantum® (148-119)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.1 or 1.6</p> <p><b>Flush System:</b> Dual Flush/Pressure Assist</p> <p><b>Bowl Height:</b> 17-1/4" </p> <p><b>Trap Size:</b> 2-1/8"</p> <p><b>Water Surface:</b> 10" x 12"</p> <p><b>MaP:</b> 1000 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available tanks: 119RH and 119CL</p>	<p><b>12" ROUGH-IN*</b></p> 
---	---	---

\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A112.19.2 - 2008/CSA B45.1-08 Standards.


# PRESSURE ASSIST | TWO-PIECE | HET


 <p>Made in USA</p>  <p>High Efficiency Toilet <b>HET</b></p>	<p><b>QUANTUMONE (146-153)</b></p> <p><b>Shape:</b> Round</p> <p><b>Gpf:</b> 1.0</p> <p><b>Flush System:</b> Pressure-assist</p> <p><b>Bowl Height:</b> 14-1/2"</p> <p><b>Trap Size:</b> 2-1/8"</p> <p><b>Water Surface:</b> 9-3/4" x 11-1/2"</p> <p><b>MaP:</b> 1000 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available tanks: 153RH and 154</p>	<p><b>12" ROUGH-IN*</b></p> 
---	--	--


 <p>Made in USA</p>  <p>High Efficiency Toilet <b>HET</b></p>	<p><b>QUANTUMONE (147-153)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.0</p> <p><b>Flush System:</b> Pressure-assist</p> <p><b>Bowl Height:</b> 14-1/2"</p> <p><b>Trap Size:</b> 2-1/8"</p> <p><b>Water Surface:</b> 9-7/8" x 12-1/4"</p> <p><b>MaP:</b> 1000 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available tanks: 153RH and 154</p>	<p><b>12" ROUGH-IN*</b></p> 
--	--	---

 <p>Made in USA</p>  <p>High Efficiency Toilet <b>HET</b></p> <p>SmartHeight</p>	<p><b>QUANTUMONE (148-153)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.0</p> <p><b>Flush System:</b> Pressure-assist</p> <p><b>Bowl Height:</b> 17-1/4" </p> <p><b>Trap Size:</b> 2-1/8"</p> <p><b>Water Surface:</b> 9-1/4" x 11-3/8"</p> <p><b>MaP:</b> 1000 grams</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available tanks: 153RH and 154</p>	<p><b>12" ROUGH-IN*</b></p> 
--	--	--

# PRESSURE ASSIST | TWO-PIECE


 <p>Made in USA</p>	<p><b>QUANTUM®</b> (146-123)</p> <p><b>Shape:</b> Round</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> Pressure-assist</p> <p><b>Bowl Height:</b> 14-1/2"</p> <p><b>Trap Size:</b> 2-1/8"</p> <p><b>Water Surface:</b> 9-3/4" x 11-1/2"</p> <p><b>MaP:</b> n/a</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available tanks: 123RH and 122</p>	<p><b>12" ROUGH-IN*</b></p> 
--	---	---


 <p>Made in USA</p>	<p><b>QUANTUM®</b> (147-123)</p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> Pressure-assist</p> <p><b>Bowl Height:</b> 14-1/2"</p> <p><b>Trap Size:</b> 2-1/8"</p> <p><b>Water Surface:</b> 9-7/8" x 12-1/4"</p> <p><b>MaP:</b> n/a</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available tanks: 123RH and 122</p>	<p><b>12" ROUGH-IN*</b></p> 
---	---	--

 <p>SmartHeight</p>	<p><b>QUANTUM®</b> (148-123)</p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> Pressure-assist</p> <p><b>Bowl Height:</b> 17-1/4" </p> <p><b>Trap Size:</b> 2-1/8"</p> <p><b>Water Surface:</b> 9-1/4" x 11-3/8"</p> <p><b>MaP:</b> n/a</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available tanks: 123RH and 122</p>	<p><b>12" ROUGH-IN*</b></p> 
--	--	---


\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A112.19.2 - 2008/CSA B45.1-08 Standards.

# PRESSURE ASSIST | TWO-PIECE

	<p><b>QUANTUM® (147-10-123)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> Pressure-assist</p> <p><b>Bowl Height:</b> 14-1/2"</p> <p><b>Trap Size:</b> 2-1/8"</p> <p><b>Water Surface:</b> 10" x 12"</p> <p><b>MaP:</b> n/a</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available tanks: 123RH and 122</p>	<p><b>10" ROUGH-IN*</b></p> 
---	---	---

 <p><b>SmartHeight</b></p>	<p><b>QUANTUM® (148-10-123)</b></p> <p><b>Shape:</b> Elongated</p> <p><b>Gpf:</b> 1.6</p> <p><b>Flush System:</b> Pressure-assist</p> <p><b>Bowl Height:</b> 17-1/4" </p> <p><b>Trap Size:</b> 2-1/8"</p> <p><b>Water Surface:</b> 11" x 12"</p> <p><b>MaP:</b> n/a</p> <p><b>Colors:</b> White, Biscuit, and Bone</p> <p>Available tanks: 123RH and 122</p>	<p><b>10" ROUGH-IN*</b></p> 
--	---	--

# BIDET

	<p><b>ALTO®</b> (361)</p> <p><b>Shape:</b> Elongated</p> <p><b>System:</b> Vertical spray</p> <p><b>Rim:</b> Flush</p> <p><b>Bowl Height:</b> 14-3/4"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>12" ROUGH-IN*</b></p> 
---	--	---

## TOILET SEATS

	<p><b>SMARTCLOSE™ HEAVY-DUTY TOILET SEAT</b> (SB800)</p> <p>Elongated front, closed front, heavy-duty plastic toilet seat with SmartClose™ technology closes gently and quietly with a simple touch (14-9/16" x 18-9/16"). Includes mounting hardware and instructions.</p>
	<p><b>SMARTCLOSE™ ELONGATED FRONT TOILET SEAT</b> (SB700)</p> <p>Elongated front, closed front, plastic toilet seat and cover with SmartClose™ technology (14-3/16" x 18-5/8").</p>
	<p><b>ALTO™ ELONGATED FRONT TOILET SEAT</b> (SB200)</p> <p>Elongated front, closed front, plastic toilet seat and cover (13-3/4" x 18"). Includes mounting hardware and instructions.</p>
	<p><b>ALTO™ ROUND FRONT TOILET SEAT</b> (SB100)</p> <p>Round front, closed front, plastic toilet seat and cover (14-1/8" x 16-1/2"). Includes mounting hardware and instructions.</p>

\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A112.19.2 - 2008/CSA B45.1-08 Standards.

## TRIP LEVER CROSS REFERENCE

TANK MODEL NUMBER*	TRIP LEVER MODEL NUMBER	TRIP LEVER FINISHES						ALTERNATE TRIP LEVER MODEL NUMBER
		CHROME	SATIN NICKEL	SICILIAN BRONZE	WHITE	BISCUIT	BONE	
035	42	*						41
106	69	*	*					
119	50LH	*	*					
119CL	50LH	*	*					
119RH	50	*						
122	47	*						
123	45	*						
123RH	49	*						
125	40	*						55
153	45	*						
153RH	49	*						
154	47	*						
160	40	*			*	*	*	55
160RH	40RH	*						55RH
161	40	*			*	*	*	55
165	40	*			*	*	*	55
170	40	*			*	*	*	55
171	40	*			*	*	*	55
172	31	*			*	*	*	
172RH	31RH	*			*			
173	31	*			*	*	*	
173RH	31RH	*			*			
174	31			*	*	*		
175	40	*			*			55
178	78	*	*					
180	40	*			*	*	*	55
181	40	*			*	*	*	55
188	87	*						
190	40	*			*	*	*	55
386	55	*	*	*				
386LT	55	*	*	*				
386RH	55RH	*						
387	55	*	*	*				
387LT	55	*	*	*				
387RH	55RH	*						
704	47	*						
705NS	73	*						
708	73	*						
722	70 or 73	*						
1012	79	*						
3012	79	*						
3106	69	*	*	*				
3108	66	*	*	*				
3120	31	*						
3120RH	31RH	*						
3121	31			*	*	*		
3121RH	31RH	*			*			
3122	31			*	*	*		
3125	31	*			*	*	*	
3147	76	*	*	*				
3185	85	*						
3195	72	*	*					
3386	33	*						
3816	58	*						

\* Model number can be found on inner tank wall.


**THE LAVATORY.** The necessary basis of daily routine. Yet anything but ordinary. Mansfield lavatories bring beauty to the bathroom with a choice of eye-catching designs. Elegant pedestal lavatories. Self-rimming basins designed to complement your choice of vanity. Plus popular vessel-style, above-counter options - for a dramatic sense of style. All fine china. All quality crafted for years of good mornings... and pleasant goodnights.





Enso Vanity with Above-Counter Lavatory, see page 36.


**STYLE.** Today, it's not just a bathroom. It's a sanctuary. Whether one prefers an understated look or a more ornate environment, Mansfield offers designs to satisfy everyone. Dozens of choices designed to enhance any bathroom décor. Traditional. Transitional. Contemporary. Perhaps a combination is best? When it comes to style for the bathroom, it's personal. When you choose Mansfield, it's perfect.

# SELF-RIMMING

 <p>Made in USA</p> 	<p><b>ALTO® II</b> (251) (251-LO*)</p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> 4" and 8"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 19" x 16"</p> <p><b>Basin:</b> 14-1/4" x 12-1/4"</p> <p><b>Colors:</b> White, Biscuit and Bone</p> <p>*Also Available: Less Overflow</p>	<p><b>SPECIFICATIONS*</b></p> 
--	--	---





	<p><b>ENSO</b> (242)</p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> n/a</p> <p><b>Overflow:</b> None</p> <p><b>Size:</b> 19" x 15"</p> <p><b>Basin:</b> 16" x 12"</p> <p><b>Colors:</b> White and Biscuit</p>	<p><b>SPECIFICATIONS*</b></p> 
---	---	---

 <p>Made in USA</p> 	<p><b>ESSENCE</b> (259)</p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 19-7/8" x 17-1/4"</p> <p><b>Basin:</b> 14" x 10-1/2"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 
--	--	---





 <p>Made in USA</p> 	<p><b>MAVERICK II</b> (267)</p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 20" x 17"</p> <p><b>Basin:</b> 15-1/2" x 10-1/2"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 
--	--	---

\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A112.19.2 - 2008/CSA B45.1-08 Standards.





# SELF-RIMMING

 <p> ADA</p>	<p><b>MONTCLAIR (269)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 22-1/4" x 17-3/8"</p> <p><b>Basin:</b> 19" x 11-3/4"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 
 <p> ADA</p>	<p><b>MS OVAL (237)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 20-1/2" x 17"</p> <p><b>Basin:</b> 17" x 11-1/8"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 
	<p><b>ROMANESQUE (299NS)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> n/a</p> <p><b>Overflow:</b> Rear</p> <p><b>Size:</b> 19-11/16" x 15-3/4"</p> <p><b>Basin:</b> 17-3/4" x 14-3/8"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 
 <p> ADA</p>	<p><b>WAVERLY (257)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 21" x 17"</p> <p><b>Basin:</b> 15-3/4" x 11-1/8"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 

\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A112.19.2 - 2008/CSA B45.1-08 Standards.


 <p>Made in USA </p> 	<p><b>MAVERICK I (249)</b></p> <p><b>Shape:</b> Round</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 19"</p> <p><b>Basin:</b> 14-3/4" x 12-1/8"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 
 	<p><b>MS ROUND (239)</b></p> <p><b>Shape:</b> Round</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 19-1/4" x 19-5/8"</p> <p><b>Basin:</b> 15-1/4" x 12-3/8"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 
 	<p><b>BARRETT (268)</b></p> <p><b>Shape:</b> Rectangle</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 23-1/16" x 18-5/8"</p> <p><b>Basin:</b> 16-1/4" x 10-1/2"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 
 	<p><b>BRENTWOOD® (254)</b></p> <p><b>Shape:</b> Rectangle</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 22-7/16" x 18-15/16"</p> <p><b>Basin:</b> 18-11/16" x 12-7/16"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 

# UNDER COUNTER

 <p><b>ADA</b></p>	<p><b>MAPLE (217)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> n/a</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 19-3/4" x 16"</p> <p><b>Basin:</b> 17-5/16" x 14-1/8"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 
 <p><b>ADA</b></p>	<p><b>PETITE MAPLE (216NS)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> n/a</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 17-1/8" x 14-1/4"</p> <p><b>Basin:</b> 15-1/8" x 12-1/4"</p> <p><b>Colors:</b> White, Biscuit and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 
 <p><b>ADA</b></p>	<p><b>REO (226)</b></p> <p><b>Shape:</b> Oblong</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> None</p> <p><b>Size:</b> 21-1/8" x 16-5/8"</p> <p><b>Basin:</b> 15-3/4" x 10-15/16"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 
 <p><b>ADA</b></p>	<p><b>BRENTWOOD® (234)</b></p> <p><b>Shape:</b> Rectangle</p> <p><b>Faucet Center:</b> n/a</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 20-5/16" x 14-3/16"</p> <p><b>Basin:</b> 18-15/16" x 13"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 


\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A112.19.2 - 2008/CSA B45.1-08 Standards.


# UNDER COUNTER

	<p><b>PETITE COVINGTON (218NS)</b></p> <p><b>Shape:</b> Rectangle</p> <p><b>Faucet Center:</b> n/a</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 21-3/8" x 13-1/2"</p> <p><b>Basin:</b> 19" x 11-3/8"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 
---	--	---





# ABOVE COUNTER


	<p><b>ENSO (311)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> Single</p> <p><b>Overflow:</b> Rear</p> <p><b>Size:</b> 21-1/2" x 19-1/2"</p> <p><b>Basin:</b> 18" x 12"</p> <p><b>Colors:</b> White and Biscuit</p>	<p><b>SPECIFICATIONS*</b></p> 
---	--	---


 <p>Made in USA </p>	<p><b>MONET (825)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> n/a</p> <p><b>Overflow:</b> None</p> <p><b>Size:</b> 17" x 14"</p> <p><b>Basin:</b> 14-1/2" x 11-1/2"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 
--	---	---

# ABOVE COUNTER





	<p><b>LUNA (802)</b></p> <p><b>Shape:</b> Round</p> <p><b>Faucet Center:</b> Single</p> <p><b>Overflow:</b> None</p> <p><b>Size:</b> 17-1/2"</p> <p><b>Basin:</b> 13-3/16" x 9-7/8"</p> <p><b>Color:</b> White</p>	<p><b>SPECIFICATIONS*</b></p> 
---	--	---

	<p><b>TEMPO (805NS)</b></p> <p><b>Shape:</b> Round</p> <p><b>Faucet Center:</b> n/a</p> <p><b>Overflow:</b> None</p> <p><b>Size:</b> 16-1/2"</p> <p><b>Basin:</b> 15-3/4</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 
---	---	--





	<p><b>REO (826)</b></p> <p><b>Shape:</b> Oblong</p> <p><b>Faucet Center:</b> n/a</p> <p><b>Overflow:</b> None</p> <p><b>Size:</b> 25-5/8" x 15-1/2"</p> <p><b>Basin:</b> 16-3/4" x 12-3/8"</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p> 
---	---	---

	<p><b>POTENZA (437)</b></p> <p><b>Shape:</b> Rectangle</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Rear</p> <p><b>Size:</b> 24-5/16" x 17-1/4"</p> <p><b>Basin:</b> 19-7/8"</p> <p><b>Colors:</b> White</p>	<p><b>SPECIFICATIONS*</b></p> 
---	--	---





\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A11.19.2 - 2008/CSA B45.1-08 Standards.

 <p>Made in USA </p>	<p><b>ALTO® IV (290)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 25" x 19"</p> <p><b>Basin:</b> 20-1/2" x 12-3/8"</p> <p><b>Models:</b> 292 (Lavatory) 293 (Pedestal)</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p>  <p>NOTE: For secure installation, wall-mounting bracket should be fastened to solid, support wall stud. Includes mounting hanger</p>
	<p><b>ENSO (310)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> Single</p> <p><b>Overflow:</b> Rear</p> <p><b>Size:</b> 21-1/2" x 19-1/2"</p> <p><b>Basin:</b> 18" x 12"</p> <p><b>Models:</b> 311 (Lavatory) 312 (Pedestal)</p> <p><b>Colors:</b> White and Biscuit</p>	<p><b>SPECIFICATIONS*</b></p>  <p>Includes mounting hangers.</p>
 <p>Optional chrome towel bar available (882)</p>	<p><b>ESSENCE (320)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Rear</p> <p><b>Size:</b> 25-1/2" x 21-3/4"</p> <p><b>Basin:</b> 16" x 13"</p> <p><b>Models:</b> 318 (Lavatory) 319 (Pedestal)</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p>  <p>Includes mounting hangers.</p>
 <p>Made in USA </p>	<p><b>FOXHILL (351)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 25" x 19"</p> <p><b>Basin:</b> 20-1/2" x 12-3/8"</p> <p><b>Models:</b> 292 (Lavatory) 303 (Pedestal)</p> <p><b>Colors:</b> White</p>	<p><b>SPECIFICATIONS*</b></p>  <p>NOTE: For secure installation, wall-mounting bracket should be fastened to solid, support wall stud. Includes mounting hanger</p>


# PEDESTAL

	<b>GRANDVIEW (350)</b>	<b>SPECIFICATIONS*</b>
 <p>Made in USA </p>	<p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> 4" and 8"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 20-1/8" x 16-1/4"</p> <p><b>Basin:</b> 16-1/4" x 10-1/8"</p> <p><b>Models:</b> 272 (Lavatory) 303 (Pedestal)</p> <p><b>Colors:</b> White</p>	 <p>NOTE: For secure installation, wall-mounting bracket should be fastened to solid, support wall stud. Includes mounting hanger.</p>
	<p><b>MAVERICK (349)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> Single 4" and 8"</p> <p><b>Overflow:</b> Rear</p> <p><b>Size:</b> 23-7/8" x 21-9/16"</p> <p><b>Basin:</b> 19-1/4" x 14-5/8"</p> <p><b>Models:</b> 348 (Lavatory) 344 (Pedestal)</p> <p><b>Colors:</b> White, Biscuit and Bone</p>	<p><b>SPECIFICATIONS*</b></p>  <p>Includes mounting hangers.</p>
	<p><b>MONTCLAIR (335)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Rear</p> <p><b>Size:</b> 23-13/16" x 18-5/8"</p> <p><b>Basin:</b> 20" x 12-1/2"</p> <p><b>Models:</b> 333 (Lavatory) 334 (Pedestal)</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p>  <p>Includes mounting hangers.</p>
	<p><b>ROMANESQUE GRANDE (367)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> 4" and 8"</p> <p><b>Overflow:</b> Rear</p> <p><b>Size:</b> 25-9/16" x 21-1/16"</p> <p><b>Basin:</b> 19-1/16" x 14-3/16"</p> <p><b>Models:</b> 366 (Lavatory) 364 (Pedestal)</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p>  <p>Includes mounting hangers.</p>

\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A112.19.2 - 2008/CSA B45.1-08 Standards.

	<p><b>WAVERLY (340)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 24-1/2" x 18-3/4"</p> <p><b>Basin:</b> 19" x 12-5/8"</p> <p><b>Models:</b> 338 (Lavatory) 339 (Pedestal)</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p>  <p>Includes mounting hangers.</p>
 <p>Made in USA </p>	<p><b>WEST HAMPTON (270)</b></p> <p><b>Shape:</b> Oval</p> <p><b>Faucet Center:</b> 4" and 8"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 20-1/8" x 16-1/4"</p> <p><b>Basin:</b> 16-1/4" x 10-1/8"</p> <p><b>Models:</b> 272 (Lavatory) 273 (Pedestal)</p> <p><b>Colors:</b> White, Biscuit and Bone</p>	<p><b>SPECIFICATIONS*</b></p>  <p>NOTE: For secure installation, wall-mounting bracket should be fastened to solid, support wall stud.</p> <p>Includes mounting hanger.</p>
	<p><b>BARRETT (330)</b></p> <p><b>Shape:</b> Rectangle</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Rear</p> <p><b>Size:</b> 24-3/8" x 19-1/8"</p> <p><b>Basin:</b> 17-5/16" x 11-1/4"</p> <p><b>Models:</b> 328 (Lavatory) 329 (Pedestal)</p> <p><b>Colors:</b> White, Biscuit, and Bone</p>	<p><b>SPECIFICATIONS*</b></p>  <p>Includes mounting hangers.</p>
	<p><b>POTENZA (438)</b></p> <p><b>Shape:</b> Rectangle</p> <p><b>Faucet Center:</b> Single, 4" and 8"</p> <p><b>Overflow:</b> Rear</p> <p><b>Size:</b> 24-5/16" x 17-1/4"</p> <p><b>Basin:</b> N/A</p> <p><b>Models:</b> 437 (Lavatory) 436 (Pedestal)</p> <p><b>Colors:</b> White</p>	<p><b>SPECIFICATIONS*</b></p>  <p>Includes mounting hangers.</p>

# VANITY

	ENSO (884)	SPECIFICATIONS*
	<p><b>Shape:</b> Oval</p> <p><b>Design:</b> Contemporary</p> <p><b>Size:</b> 22-7/16" x 21-1/4" x 29-15/16"</p> <p><b>Color:</b> Java</p> <p>Designed to fit the Enso 311 (page 31).</p>	

# VANITY TOPS

	CITY I (2017)	SPECIFICATIONS*
	<p><b>Faucet Center:</b> 4"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 20" x 17"</p> <p><b>Back Splash:</b> Integral</p> <p><b>Color:</b> White</p>	<p>TECHNICAL DRAWING NOT AVAILABLE</p>

	CITY II (2519)	SPECIFICATIONS*
	<p><b>Faucet Center:</b> 4"</p> <p><b>Overflow:</b> Front</p> <p><b>Size:</b> 25-5/8" x 19-5/8"</p> <p><b>Back Splash:</b> Integral</p> <p><b>Color:</b> White</p>	<p>TECHNICAL DRAWING NOT AVAILABLE</p>

\*NOTE: Install this product according to the installation guide. Fixture dimensions are nominal and conform to tolerances in ASME A112.19.2 - 2008/CSA B45.1-08 Standards.

**SUITES.** Individually, each piece is a functional work of art. Together, our bathroom suites elevate everyday living to luxurious indulgence. Choose from our coordinated collections of high-performance toilets, lavatories and tubs created to bring a bathroom together beautifully. For a look that is both inspiring and inviting.



Enso Gravity Toilet,  
see page 6.



Enso Pedestal Lavatory,  
see page 33.

**DETAILS MATTER.** Clean, classic lines... soft curves... contemporary geometric shapes. Who knew a bathroom could hold so many beautiful possibilities? Choose the look you love. No matter what your style, your bathroom can be extraordinary with our stunning selection of suites.



## ITEMS IN THE BARRETT SUITE



**BARRETT GRAVITY  
TOILET (115-106) &**

**BARRETT GRAVITY  
HET TOILET (4115-3106)**  
See pages 6 & 8.



**BARRETT PEDESTAL LAVATORY (330)**  
See page 35.



**BARRETT WHIRLPOOL  
(shown above)**

Bathtubs, Whirlpools, and Air Bath systems available in:

- 60" x 32" x 21-1/2" (skirted)
- 66" x 36" x 24"
- 66" x 42" x 24"
- 72" x 36" x 24"
- 72" x 42" x 24"

For more information about bathware refer to the Mansfield Bathware Catalog.



**BARRETT SELF-RIMMING LAVATORY (268)**  
See page 29.



ITEMS IN THE BRENTWOOD® SUITE

 <p><b>BRENTWOOD® GRAVITY TOILET (4147-3147)</b> See page 8.</p>	 <p><b>BRENTWOOD® SELF-RIMMING LAVATORY (254)</b> See page 29.</p>	 <p><b>BRENTWOOD® WHIRLPOOL (shown above)</b> Bathtubs, Whirlpools, and Air Bath systems available in: 60" x 36" x 22-1/2" 66" x 36" x 22-1/2" 72" x 36" x 22-1/2" 72" x 42" x 22-1/2" For more information about bathware refer to the Mansfield Bathware Catalog.</p>
 <p><b>BRENTWOOD® UNDER COUNTER LAVATORY (234)</b> See page 30.</p>		

# MONTCLAIR | TRADITIONAL



## ITEMS IN THE MONTCLAIR SUITE

 <p><b>MONTCLAIR GRAVITY HET TOILET (4107-3108)</b> See page 7.</p>	 <p><b>MONTCLAIR PEDESTAL LAVATORY (335)</b> See page 34.</p>	
 <p><b>MONTCLAIR SELF-RIMMING LAVATORY (269)</b> See page 28.</p>		<p><b>MONTCLAIR WHIRLPOOL (shown above)</b> Bathtub, Whirlpool, and Air Bath systems available in: 71-1/2" x 41-1/2" x 23-1/2" For more information about bathware refer to the Mansfield Bathware Catalog.</p>



## ITEMS IN THE WAVERLY SUITE



**WAVERLY GRAVITY HET TOILET (4197-3195)**  
See page 7.



**WAVERLY PEDESTAL LAVATORY (340)**  
See page 35.



**WAVERLY WHIRLPOOL (shown above)**

Whirlpool available in:  
70" x 47" x 20-1/4"

For more information about bathware refer to the Mansfield Bathware Catalog.



**WAVERLY SELF-RIMMING LAVATORY (257)**  
See page 28.

# ESSENCE | TRANSITIONAL



## ITEMS IN THE ESSENCE SUITE

 <p><b>ESSENCE GRAVITY HET TOILET (4184-3185)</b> See page 6.</p>	 <p><b>ESSENCE PEDESTAL LAVATORY (320)</b> See page 33.</p>	 <p><b>ESSENCE AIR BATH (shown above)</b> Bathtubs, Whirlpools, and Air Bath systems available in: 60" x 41-1/2" x 24" 66" x 36" x 24" 66" x 41-1/2" x 24" 71-1/2" x 36" x 24" 71-1/2" x 41-1/2" x 24" For more information about bathware refer to the Mansfield Bathware Catalog.</p>
<p><b>ESSENCE SELF-RIMMING LAVATORY (259)</b> See page 27.</p>		



**ITEMS IN THE REO SUITE**



**REO  
GRAVITY TOILET  
(186-188)**  
See page 8.



**REO  
UNDER COUNTER  
LAVATORY (226)**  
See page 30.



**REO AIR BATH  
(shown above)**

Bathtubs, Whirlpools, and Air Bath systems available in:

- 60" x 36" x 24"
- 66" x 36" x 24"
- 72" x 36" x 24"
- 72" x 42" x 24"

For more information about bathware refer to the Mansfield Bathware Catalog.



**REO ABOVE COUNTER LAVATORY (826)**  
See page 32.




## ITEMS IN THE ENSO SUITE

 <p><b>ENSO GRAVITY DUAL FLUSH TOILET (177-178)</b> See page 6.</p>	 <p><b>ENSO SELF-RIMMING LAVATORY (242)</b> See page 27.</p> <p><b>ENSO ABOVE COUNTER LAVATORY (311)</b> See page 31.</p>	 <p><b>ENSO WHIRLPOOL (shown above)</b></p> <p>Bathtubs, Whirlpools, and Air Bath systems available in:</p> <p>66" x 36" x 22-1/4" 66" x 42" x 22-1/4" 72" x 36" x 22-1/4" 72" x 42" x 22-1/4"</p> <p>For more information about bathware refer to the Mansfield Bathware Catalog.</p>
 <p><b>ENSO VANITY (884)</b> See page 36.</p>	 <p><b>ENSO PEDESTAL LAVATORY (310)</b> See page 33.</p>	

# MANSFIELD COLOR CHART



WHITE



BISCUIT



BONE

Colors shown are printed representations of vitreous china product colors and may vary from actual product colors. Refer to the product listing in your Mansfield Plumbing list price book for complete color offering.

## MANUFACTURER'S LIMITED LIFETIME WARRANTY VITREOUS CHINA PRODUCTS

Mansfield Plumbing Products LLC warrants its china products, excluding plumbing fittings, toilet tank trim products – flush valve, ballcock and trip lever (see specific warranty exclusions outlined below for these products) to be free from defects in materials or workmanship for the lifetime of this product to the purchaser starting from the date of purchase. Mansfield Plumbing Products promises to provide a replacement china part for any china part of this product that proves upon our inspection and from the date of purchase, to be defective in material or workmanship. All labor for de-installation and re-installation and transportation costs or charges incidental to warranty service are to be borne by the owner. Mansfield Plumbing Products provides no warranties, written or oral, beyond those contained on the face hereof.

**EXCLUSIONS:** In no event shall Mansfield Plumbing Products be liable for incidental or consequential damages, for damages resulting from improper installation or for damages caused by handling, neglect, abuse or alteration. All implied warranties, including any warranty of fitness for any particular purpose of merchantability, or those that might arise from a course of dealing with the purchaser or usages of trade, are hereby disclaimed or excluded.

**NOTE:** Some states do not allow limitations on an implied warranty, and some states do not allow exclusions or limitations regarding incidental or consequential damages, so the above limitations may not apply to you. This warranty gives you specific legal rights and you may have other rights which vary from state to state. No person is authorized to change, add to, or create any warranty or obligation other than set forth herein. This is our exclusive written warranty.

• Manufacturer's Limited Ten-Year Warranty  
EcoQuantum®, Quantum® and QuantumOne™ Toilet Vessels

• Manufacturer's Limited One-Year Warranty  
Toilet Seats

To obtain warranty service or a copy of the product warranty, contact your local dealer and/or the contractor from whom you purchased this product.

©1994 (Revised 4/2001) Mansfield Plumbing Products LLC PHONE: 877-850-3060 FAX: 419-938-6234 EMAIL: [custserv@mansfieldplumbing.com](mailto:custserv@mansfieldplumbing.com)

## MANUFACTURER'S LIMITED ONE-YEAR WARRANTY TOILET TANK TRIM AND FITTINGS PRODUCTS

Mansfield Plumbing Products warrants its plumbing fittings and toilet tank trim including: ballcock, flush valve and trip lever products to be free from defects in materials or workmanship for a period of one (1) year from the date of purchase. Mansfield Plumbing Products promises to replace any of these products that proves upon inspection and within one (1) year from the date of purchase to be defective in materials or workmanship. All labor for de-installation and re-installation and transportation costs or charges incidental to warranty service are to be borne by the owner. Mansfield Plumbing Products provides no warranties, written or oral, beyond those contained on the face herein.

**EXCLUSIONS:** In no event shall Mansfield Plumbing Products be liable for incidental or consequential damages, for damages resulting from improper installation, or for damages caused by handling, neglect, abuse or alteration. Mansfield Plumbing Products shall not be responsible or liable for any failure or damage to its plumbing fittings or toilet tank trim: ballcock, flush valve and/or trip lever products caused by the use of either chloramines or high concentration of chlorine, lime/iron sediments and/or other minerals not removed from public water during the treatment of public water supplies or caused by toilet tank type cleaners containing chlorine, calcium hypochlorite or other chemicals. All implied warranties, including any implied warranty of fitness for any particular purpose or merchantability, or those that might arise from a course of dealing with the purchaser or usages of trade, are hereby disclaimed, and excluded.

**NOTE:** Some states do not allow limitations on an implied warranty, and some states do not allow exclusions or limitations regarding incidental or consequential damages, so the above limitations may not apply to you. This warranty gives you specific legal rights and you may have other rights which vary from state to state. No person is authorized to change, add to, or create any warranty or obligation other than set forth herein. This is our exclusive written warranty.

To obtain warranty service or a copy of the product warranty, contact your local dealer and/or the contractor from whom you purchased this product.

©1994 (Revised 4/2001) Mansfield Plumbing Products LLC PHONE: 877-850-3060 FAX: 419-938-6234 EMAIL: [custserv@mansfieldplumbing.com](mailto:custserv@mansfieldplumbing.com)

## TOILETS

### GRAVITY | ONE PIECE

Item #	Product Name	Page#	Rough-in
705NS	Aegean	5	12"
708	Aegean	5	12"

### GRAVITY | TWO PIECE | DESIGNER (HET)

Item #	Product Name	Page#	Rough-in
4115-3106	Barrett (HET)	6	12"
177-178	Enso	6	12"
4184-3185	Essence II (HET)	6	12"
4107-3108	Montclair (HET)	7	12"
4197-3195	Waverly (HET)	7	12"
4197CTK	Waverly (HET) KIT	7	12"

### GRAVITY | TWO PIECE | DESIGNER

Item #	Product Name	Page#	Rough-in
115-106	Barrett	8	12"
4147-3147	Brentwood®	8	12"
186-188	Reo	8	12"

### GRAVITY | TWO PIECE | HET

Item #	Product Name	Page#	Rough-in
4130-3121	Alto® 1.28	9	12"
4130CTK	Alto® 1.28 KIT	9	12"
4130LTCTK	Alto® 1.28 KIT	9	12"
4131-3121	Alto® 1.28	9	10"
4135-3121	Alto® 1.28	9	12"
4135CTK	Alto® 1.28 KIT	9	12"
4135LTCTK	Alto® 1.28 KIT	9	12"
4137-3121	Alto® 1.28	10	12"
4137CTK	Alto® 1.28 KIT	10	12"
4137LTCTK	Alto® 1.28 KIT	10	12"
4138-3121	Alto® 1.28	10	10"
4139-3121	Alto® 1.28	10	10"
3120	Alto® 1.28 Tank	11	12"
3120RH	Alto® 1.28 Tank	11	12"
3121RH	Alto® 1.28 Tank	11	12"
3122	Alto® 1.28 Tank	11	12"
3125	Alto® 1.28 Tank	11	14"
4810-3816	Cascade	11	12"
4817-3816	Cascade	11	12"
1013-1012	Maverick 1.0	12	12"
380-387	Summit 1.28	12	12"
4381CTK	Summit 1.28 KIT	12	12"
382-387	Summit 1.28	12	12"
4383CTK	Summit 1.28 KIT	12	12"
382-387	Summit 1.28	12	12"
4383CTK	Summit 1.28 KIT	12	12"
384-387	Summit 1.28	13	12"
4385CTK	Summit 1.28 KIT	13	12"
388-387	Summit 1.28	13	12"
4388CTK	Summit 1.28 KIT	13	12"
380-3386	Summit Dual Flush	13	12"
4380CTK	Summit Dual Flush KIT	13	12"
382-3386	Summit Dual Flush	14	12"
4382CTK	Summit Dual Flush KIT	14	12"
384-3386	Summit Dual Flush	14	12"

## TOILETS

### GRAVITY | TWO PIECE

Item #	Product Name	Page#	Rough-in
4384CTK	Summit Dual Flush KIT	14	12"
388-3386	Summit Dual Flush	14	12"
117-160	Alto®	15	12"
130-160	Alto®	15	12"
130CTK	Alto® KIT	15	12"
130LTCTK	Alto® KIT	15	12"
131-160	Alto®	15	10"
135-160	Alto®	16	12"
135CTK	Alto® KIT	16	12"
135LTCTK	Alto® KIT	16	12"
137-160	Alto®	16	12"
137CTK	Alto® KIT	16	12"
137LTCTK	Alto® KIT	16	12"
138-160	Alto®	16	10"
139NS-160	Alto®	17	10"
125	Alto® 1.6 Tank	17	14"
160RH	Alto® 1.6 Tank	17	12"
161	Alto 1.6 Tank	17	12"
165	Alto 1.6 Tank	17	12"
170	Alto 1.6 Tank	17	12"
171	Alto 1.6 Tank	17	12"
172	Alto 1.6 Tank	17	12"
172RH	Alto 1.6 Tank	17	12"
173	Alto 1.6 Tank	17	12"
173RH	Alto 1.6 Tank	17	12"
174	Alto 1.6 Tank	17	12"
175	Alto 1.6 Tank	17	12"
180	Alto 1.6 Tank	17	12"
181	Alto 1.6 Tank	17	12"
190	Alto 1.6 Tank	17	12"
380-386	Summit	18	12"
380CTK	Summit KIT	18	12"
382-386	Summit	18	12"
382CTK	Summit KIT	18	12"
384-386	Summit	18	12"
384CTK	Summit KIT	18	12"
388-386	Summit	19	12"
388CTK	Summit KIT	19	12"

### PRESSURE ASSIST | ONE PIECE

Item #	Product Name	Page#	Rough-in
704	Prestigio 4	19	12"

### PRESSURE ASSIST | TWO PIECE

Item #	Product Name	Page#	Rough-in
146-119	EcoQuantum	20	12"
147-119	EcoQuantum	20	12"
148-119	EcoQuantum	20	12"
146-153	QuantumOne	21	12"
147-153	QuantumOne	21	12"
148-153	QuantumOne	21	12"
146-123	Quantum	22	12"
147-123	Quantum	22	12"
148-123	Quantum	22	12"
147-10-123	Quantum	23	10"
148-10-123	Quantum	23	10"

## TOILETS

### BIDET

Item #	Product Name	Page#	Rough-in
361	Alto	24	12"

### TOILET SEATS

Item #	Product Name	Page#
SB800	SmartClose Heavy Duty	24
SB700	SmartClose Elongated Front	24
SB200	Alto Elongated Front	24
SB100	Alto Round Front	24

## LAVATORIES

### SELF RIMMING

Item #	Product Name	Page#	Shape
251	Alto II	27	Oval
251-LO	Alto II	27	Oval
242	Enso	27	Oval
259	Essence	27	Oval
267	Maverick II	27	Oval
269	Montclair	28	Oval
237	MS Oval	28	Oval
299NS	Romanesque	28	Oval
257	Waverly	28	Oval
249	Maverick I	29	Round
239	MS Round	29	Round
268	Barrett	29	Rectangle
254	Brentwood	29	Rectangle

### UNDER COUNTER

Item #	Product Name	Page#	Shape
217	Maple	30	Oval
216NS	Petite Maple	30	Oval
226	Reo	30	Oblong
234	Brentwood	30	Rectangle
218NS	Petite Covington	31	Rectangle

### ABOVE COUNTER

Item #	Product Name	Page#	Shape
311	Enso	31	Oval
825	Monet	31	Oval
802	Luna	32	Round
805NS	Tempo	32	Round
826	Reo	32	Oblong
437	Potenza	32	Rectangle

### PEDESTAL

Item #	Product Name	Page#	Shape
290	Alto IV	33	Oval
310	Enso	33	Oval
320	Essence	33	Oval
351	Foxhill	33	Oval
350	Grandview	34	Oval

## LAVATORIES

### PEDESTAL

Item #	Product Name	Page#	Shape
349	Maverick	34	Oval
335	Montclair	34	Oval
367	Romanesque Grande	34	Oval
340	Waverly	35	Oval
270	West Hampton	35	Oval
330	Barrett	35	Rectangle
438	Potenza	35	Rectangle

## VANITY

Style	Collection	Page#
Contemporary	Enso	36

## VANITY TOPS

Item #	Product Name	Page#
2017	City I	36
2519	City II	36

## SUITES

Style	Collection	Page#
Traditional	Barrett	38
Traditional	Brentwood	39
Traditional	Montclair	40
Traditional	Waverly	41
Transitional	Essence	42
Transitional	Reo	43
Contemporary	Enso	44



Brentwood Suite, see page 39.



***mansfield.***

Mansfield Plumbing Products LLC  
p. 877.850.3060 | f. 419.938.6234  
custserv@mansfieldplumbing.com  
[www.mansfieldplumbing.com](http://www.mansfieldplumbing.com)